



ENVIRONMENTAL
PRODUCTS, LLC

**Environmental Coatings Applicators
Model ECA-550**

**"The most economical
units of their size."**



"For sites requiring small quantities of product,
the ECA-550 is ideal."





Discharge Wand

**Reserve
Water Tank**

Product Inlet

Optional Trailer
(style may vary)

**Optional Tank Top
Spray Platform**



Specifications

STANDARD ITEMS		OPTIONAL ITEMS
Width / Height / Overall Length (Skid Mount): 56"/61"/97"	Operator Controls: Belt Tension Lever	Hose Reels: Manual Hose Storage Reel Layflat Hose – Total Length: 125' X 1½" (50' and 75' sections) Electric Hose Reel 150' of 1-¼" rigid hose
Empty Weight / Full Weight: 1,500 lbs./6,085 lbs.	Product Pump: Positive Disp. Gear (2" inlet, 2" outlet), 100 GPM	
Product Tank: Capacity: 550 Gallons Material Thickness: 12 Ga. Steel Interior Coating: Epoxy	Nozzles: Long Range Solid Stream 15° Flat Spray 25° Flat Spray 50° Flat Spray 25° Low Flow Spray	Tank-Top Spray Platform
Mixer Shaft & Paddles: 70" Shaft Length Number of Paddles 6 Mixer Diameter 4"	Reserve Water Tank: 50 Gallon Plastic Gravity Feed	Diesel Engine
Engine: 20 HP Honda Gasoline Air Cooled Fuel Capacity: 6 Gallons	Miscellaneous: Nozzle Storage Box 3" Water Fill Connection	Trailer Option: (style may vary) Tandem Axle 7,000 lb. Capacity
Electrical: 12 Volt Battery Electric Start		

The LSC Family of Products



2183 Pennsylvania Ave. • Apalachin, NY 13732 • Phone: 800.800.7671

www.lscenv.com