


"The most economical unit of its size."





"The ECA-700 provides the most coverage for sites not requiring the size and features of our larger models."





## **Specifications**

Specificanions			
STANDARD ITEMS			
Width / Height / Overall Length: 56"/61"/130"	Engine: 25 HP Gasoline Air Cooled Fuel Capacity: 6 Gallons	Nozzles: Long Range Solid Stream 15° Flat Spray 25° Flat Spray	
Empty Weight / Full Weight: 1,650 lbs./ 8,069 lbs.	Electrical: 12 Volt Battery Electric Start	50° Flat Spray 25° Low Flow Spray	
Product Tank: Capacity: 700 Gallons Material Thickness: 12 Ga. Steel Interior Coating: Epoxy		Reserve Water Tank: 50 Gallon Plastic Gravity Feed (not shown)	
	Operator Controls: Belt Tension Lever		
Mixer Shaft & Paddles: 88" Shaft Length Number of Paddles: 10 Mixer Diameter: 4"	Product Pump: Positive Displacement Gear (2"inlet, 2" outlet) 100 GPM	Miscellaneous: Nozzle Storage Box 3" Water Fill Connection	

	OPTIONAL ITEMS
Trailer Option: (Style May Vary) Tandem Axle	Tank Top Spray Platform
10,400 lb. Capacity  Hose Reels:	Diesel Engine
Manual Hose Storage Reel Layflat Hose – Total Length: 125' X 1½" (50' and 75' sections) Electric Hose Reel	
Electric Hose Keel	

## The LSC Family of Products



150' X 11/4" Rigid Hose











2183 Pennsylvania Ave. • Apalachin, NY 13732 • Phone: 800.800.7671